

HL053S/90


Drainage-strip InFloor, standard stainless steel, 900 mm



Standard stainless steel drainage-strip with engineered precision fall, flush-mounted in the shower area. Suitable for floor finish of 12-32mm (including adhesive).



Techn. drawing



TECHNICAL DATA

material	Edelstahl V2A	installation height	12-32mm
dimension	900x55mm	grate frame	
capacity		grate	
weight	0,895	load class	K - 300 kg

EAN

9003076045211

inlet

standards

MAIN DATA

spare parts



HL053S.1E

Stainless steel middle inlet "Standard" for HL053S



HL053S.2E

Shaped plastic frame for HL053S

Alternatives



HL053M/90

Drainage-strip InFloor, brushed stainless steel, 900mm



HL053P/90

Drainage-strip InFloor, polished stainless steel, 900 mm

PACKAGING DATA

carton

unit	1 [pcs.]
weight	1,345 [kg]
EAN/pack.	9003076045211
height/width/depth	70/110/1215 [mm]
volume	0,0091455 [m ³]

single use pallet

unit	70 [pcs.]
weight	105 [kg]
EAN/pack.	
height/width/depth	900/800/1200 [mm]
volume	0,864 [m ³]

DOWNLOADS

Foto Print	HL053S_pr.tif	max.
Foto Web	HL053S_B.jpg	640x480/300dpi
Foto Parts List	HL053S_gr.jpg	150x150/72dpi
Techn. drawing	HL053S-90_1_a.pdf	pdf
CAD	HL053S-90_2_a1.dxf	dxf

Instruction sheet

[HL53K\(F\)_Installation.pdf](#)

Brochure

[HL53_InFloor_Prospekt_en_Web.pdf](#)

other

[HL53_Cleaning.pdf](#)

Cleaning / Reinigung